


SHARP**SERVICE MANUAL**
维修手册

S40Y9LC-10A2H

**LCD COLOUR TELEVISION**
液晶彩色电视机**MODELS**
型号**LC-10A2H-S/A**
LC-10A2M-S/A

In the interests of user-safety (Required by safety regulations in some countries) the set should be restored to its original condition and only parts identical to those specified should be used.

为了用户安全起见（根据一些国家的安全规程的需要），应将液晶投影机保持于最初的状态，而且只能使用与指定物相同的部件。

CONTENTS**目 录**

	Page		页数
• IMPORTANT SERVICE SAFETY PRECAUTION	2	• 维修保养时重要注意事项	15
• SPECIFICATIONS	3	• 规格参数	16
• OPERATION MANUAL	4	• 使用说明书	17
• REMOVING OF MAJOR PARTS	6	• 主要部件的拆卸	19
• ADJUSTING PROCEDURE OF EACH SECTION	9	• 各部位的调整步骤	22
• TROUBLE SHOOTING TABLE	12	• 故障排除流程	25
• CHASSIS LAYOUT	28	• 机芯底盘电路布置	28
• BLOCK DIAGRAM	30	• 电路方框图	30
• DESCRIPTION OF SCHEMATIC DIAGRAM ..	31	• 电路原理图的说明	31
• SCHEMATIC DIAGRAM	32	• 电路原理图	32
• PRINTED WIRING BOARD ASSEMBLIES	40	• 印刷电路板组件	40
• PARTS LIST		• 零件表	
■ ELECTRICAL PARTS	44	■ 电路零件	44
MAIN UNIT	44	主电路装置	44
TERMINAL UNIT	49	插接装置	49
OPERATION UNIT	50	操作装置	50
LED UNIT	50	LED 装置	50
RELAY UNIT	50	中继装置	50
■ CABINET AND MECHANICAL PARTS	50	■ 壳罩与及机械零件分解图	50
■ ACCESSORIES PARTS	52	■ 附件	52
■ PACKING PARTS	52	■ 包装部件	52
• PACKING OF THE SET	53	• 包装方法	53

SHARP CORPORATION

IMPORTANT SERVICE SAFETY PRECAUTION

- **Service work should be performed only by qualified service technicians who are thoroughly familiar with all safety checks and the servicing guidelines which follow:**

WARNING

1. For continued safety, no modification of any circuit should be attempted.
2. Disconnect AC power before servicing.

CAUTION: FOR CONTINUED PROTECTION AGAINST A RISK OF FIRE REPLACE ONLY WITH SAME TYPE FUSE. F3701 (1.25A, 250V), F3702 (1.25A, 250V), F3751 (2.0A, 250V) FUSE.

BEFORE RETURNING THE RECEIVER (Fire & Shock Hazard)


Before returning the receiver to the user, perform the following safety checks:

1. Inspect all lead dress to make certain that leads are not pinched, and check that hardware is not lodged between the chassis and other metal parts in the receiver.
2. Inspect all protective devices such as non-metallic control knobs, insulation materials, cabinet backs, adjustment and compartment covers or shields, isolation resistor-capacitor networks, mechanical insulators and etc.
3. To be sure that no shock hazard exists, check for leakage current in the following manner.
 - Plug the AC cord directly into a 110~240 volt AC outlet, and connect the DC power cable into the receiver's DC jack. (Do not use an isolation transformer for this test).
 - Using two clip leads, connect a 1.5k ohm, 10 watt resistor paralleled by a 0.15 μ F capacitor in series with all exposed metal cabinet parts and a known earth ground, such as electrical conduit or electrical ground connected to an earth ground.

- Use an AC voltmeter having with 5000 ohm per volt, or higher, sensitivity or measure the AC voltage drop across the resistor.
- Connect the resistor connection to all exposed metal parts having a return to the chassis (antenna, metal cabinet, screw heads, knobs and control shafts, escutcheon and etc.) and measure the AC voltage drop across the resistor.

All checks must be repeated with the AC cord plug connection reversed. (If necessary, a nonpolarized adaptor plug must be used only for the purpose of completing these checks.)

Any reading of 35V peak (this corresponds to 0.7 milliamp. peak AC.) or more is excessive and indicates a potential shock hazard which must be corrected before returning the monitor to the owner.



SAFETY NOTICE

Many electrical and mechanical parts in LCD television have special safety-related characteristics. These characteristics are often not evident from visual inspection, nor can protection afforded by them be necessarily increased by using replacement components rated for higher voltage, wattage and etc. Replacement parts which have these special safety characteristics are identified in this manual; electrical components having such features are identified by “⚠”

and shaded areas in the **Replacement Parts Lists** and **Schematic Diagrams**.

For continued protection, replacement parts must be identical to those used in the original circuit.

The use of a substitute replacement parts which do not have the same safety characteristics as the factory recommended replacement parts shown in this service manual, may create shock, fire or other hazards.


Specifications

LCD panel	10.4" TFT LCD
Number of pixels	921,600 pixels VGA
Video colour systems	PAL/NTSC/SECAM
TV FUNCTION	
TV Standard (CCIR)	I/DK/M/BG
TV Turning System	Auto preset 100 ch.
STEREO/BILINGUAL	AV STEREO
Universal R/C for TV only	YES
AUTO PRESET	YES
CATV	~Hyper Band
4-LINE COMB FILTER	Yes
Luminance	400 cd/m ²
Lamp life	25,000 Hours
Viewing angles	H : 120° V : 100°
Audio amplifier	1.0 W × 2
Speakers	3 × 4 cm, 2 pcs
Terminals	
AV1	AV-IN 1, S-IN
AV2	AV-IN 2
AV OUT	AV-OUT
ANT	DIN
H/P	3.5 mm ø jack (Rear)
OSD Language	English/Chinese/Arabic
Power supply	DC 12 V, AC110-240 V
Weight	2.0 kg w/o accessories
Accessories	R/C, Batteries, Wall mount parts, Antenna cable, AC adapter, AC cord, AV cable for mini-jack

Design and specifications are subject to change without notice.

Operation Manual

Main unit (front view)




Remote sensor window
(The actual location is not visible)

Power/standby indicator


A green indicator lights when the power is on and a red indicator lights when in the standby mode (the indicator will not light when the power is off).

Top control panel




■ The **MUTE**, **DISPLAY**, **MENU**, **VOLUME UP(+)/DOWN(-)**, **CHANNEL UP(▲)/DOWN(▼)**, and **TV/VIDEO** buttons provide the same functions as the buttons on the remote control. (The **MENU** button has a slightly different function from the remote control button.)

Main unit (rear view)




Adjust the set stand to an angle so that the screen is easily visible. The set stand can be opened up to 80°.

Rear terminal section




Remote control




Dimensions


Front View



Side View






Rear View






(Units: mm)

REMOVING OF MAJOR PARTS


1. Remove the five lock screws ① off the cabinet B.
2. Push on the six hooks ② of the cabinet B and open it slightly.
3. Disconnect all the connectors ③ from the terminal and operation PWBs. Detach the cabinet B.
4. Disconnect all the connectors ④ from the main PWB.



5. Remove the four lock screws ⑤ off the main PWB.
6. Remove the two lock screws ⑥ off the remote control PWB.
7. Remove the two lock screws ⑦ off the terminal PWB.
8. Remove the two lock screws ⑧ off the operation PWB.
9. Remove the two lock screws ⑨ off the flexible shield, and detach the relay PWB.



10. Remove the lock screw ⑩ off the LC display unit.
11. Undo the seven hooks ⑪ to release the unit frame.
12. Detach the fluorescent lamp.



ADJUSTING PROCEDURE OF EACH SECTION

The best adjustment is made before shipping. If any position deviation is found or after part replace is performed, adjust as follows.

1. Preparations for Adjustments

Use the specific AC adaptor or a regulated DC power supply.

AC adaptor : UADP-0209CEZZ (Type 10 non-polar LC10A2H/M)

DC power supply : 12 V, 3.2 A

2. Calling the adjustment process mode

The mode can be called up in the following two ways.

- Turn on the power and press the ADJUST PROCESS key on the remote controller.
- Set either the KEY4 (Pin 81 of microprocessor) or KEY5 (Pin 82 of microprocessor) to the L level and turn on the power.

3. Key operation in adjustment process mode

Selecting a reception channel

- Using the CH UP/DOWN keys, search up and down a reception channel.
Clicking on the keys : Channels are selected up or down one by one.
Holding down the keys : The next receivable channel is searched up or down.

- Various adjustments

Each of the adjustments is made by selecting an item on the menu and using the CH UP/DOWN and VOL UP/DOWN keys (on the TV set and remote controller).

- Using the menu select key, the adjustment items are picked up alternately. (Picking the next item)
When the bottom item is selected and the menu select key is activated, the top item on the next page will be selected instead.
- Using the picture select key, the adjustment items are picked up alternately. (Picking the previous item)
When the top item is selected and the picture select key is activated, the bottom item on the previous page will be selected instead.
- When an item is selected and the auto preset key is activated, the top item on the next page will always be selected.
Page 1 → Page 2 → ... → Page 15 → Page 1 ...
- When an item is selected and the manual memory key is activated, the top item on the same page will always be selected.
Using the VOL UP/DOWN keys, the setting of the selected item can be turned up or down.
- Suppose PAL/NTSC is selected for p.14 and p.15. Using the VOL UP/DOWN keys, the register select mode is called and the cursor goes to Address 01.
- The CH UP/DOWN keys are used to move up and down the cursor and the VOL UP/DOWN keys to move it right and left. The key 12 is then used to fix an item. Once fixed, the cursor will go to the item's current setting. Using the VOL UP/DOWN keys, modify the setting as required.

Save the setting with the key 12 and return to the address select screen. Using the menu select key as usual, move to the next item. The cursor moves as follows by using the VOL UP/DOWN keys on the address select screen.

Example : 01 ↔ 02 ↔ 03 ↔ 01 ↔ ...

The cursor moves as follows by using the CH UP/DOWN keys.

Example : 02 ↔ 05 ↔ ... ↔ 06 ↔ 02 ↔ ...

4. Initialization

Here is the procedure of initializing the EEPROM and making model number and size settings.

- 4-1. Get Pins (81) and (82) of the IC2001 (microprocessor) grounded and turn on the power.
- 4-2. Select a model number (A1, A2H, A2U). For Models LC-10A2H and LC-10A2M, select A2H.
- 4-3. Select a size in inches (10, 12, 15, 20). For Models LC-10A2H and LC-10A2M, select 10.
- 4-4. Get Pins (81) and (82) of the IC2001 (microprocessor) back to normal.

5. Adjustments

- 5-1. +B adjustment
Vary the “+B-ADJ” setting on Page 1 of the adjustment process so that the voltage at pin 49 of SC401 be 5.00 ± 0.02 V.
Note : Adjust precisely to 5.0 V because this level will be used as supply voltage reference.
- 5-2. Counter-bias adjustment
Vary the “COM BIAS” setting on Page 2 of the adjustment process so that the contrast be sharpest (black looks most sinking). The adjustment guideline is around 117 for Model LC-10A2H.
- 5-3. White balance adjustment
Vary the “RCUTOFF” and “BCUTOFF” settings to achieve optimum white balance.
Note : For the “RCUTOFF” and “BCUTOFF” settings, keep the readings in the range of -10 to +10. If out of this range, the user-adjustable range is reduced.

6. Factory settings

- When using the adjustment remote controller:
The factory settings are made using the adjustment remote controller. Here are some differences between the different models.


Model number	Key name	Remote control code	Setting S-SYSTEM	OSD language for settings
LC10A2H	Factory setting 1	100000111111110	I	CHINESE
LC10A2M	Factory Setting 2	100000001010110	B/G	ENGLISH

- When not using the adjustment remote controller:
(Applicable only with Model LC-10A2H. For Model LC-10A2M, make the following settings, and select English and B/G for OSD language and S-SYSTEM, respectively.)
Hold down the TV/VIDEO and MENU keys on the TV set and turn on the power. Make sure the character “K” appears at the top left on the screen. Then press the VOLUME UP and CH UP keys at the same time.


7. OSD Menu (for pages 1 and 2)

Page	Item	MIN	MAX	Initial Setting	Remarks
1	+B-ADJ	0	255	160	Refer to 5-1
	MODEL			A2H	Refer to 4-2
	INCH SIZE			10	Refer to 4-3
	TIMER			1	
	MPX			2	
	SYSTEM			AUTO	
	NTSC PWM FREQ	000	FFF	0C0	
	PAL PWM FREQ	000	FFF	0BD	
	IR			ON	
	D TANSI			ON	
	CLOSED CAPTION			OFF	
	V-CHIP			OFF	
	TV GAIN			OFF	
	ERROR NO RESET			0 WAIT	
2	COMBIAS	0	255	100	Refer to 5-2
	NTSC TAMP	0	63	27	
	PAL TAMP	0	63	27	
	SECAM TAMP	0	63	27	
	PAL-M TAMP	0	63	27	
	TV H-PEAKING	0	63	27	
	R CUT OFF	0	7	4	
	G CUT OFF	-15	+15	0	Refer to 5-3
	B CUT OFF	-15	+15	0	
	G3	-15	+15	0	Refer to 5-3
	B3	00	FF	00	
	R3	00	FF	00	
	G1	00	FF	00	
	B4	00	FF	00	
	Y	00	FF	00	


TROUBLE SHOOTING TABLE



TROUBLE SHOOTING TABLE (Continued)




TROUBLE SHOOTING TABLE (Continued)




CHASSIS LAYOUT 机芯底盘电路布置

MAIN Unit (Side-A)



MAIN Unit (Side-A)



1


2

3


4

5

6



BLOCK DIAGRAM 电路方框图



DESCRIPTION OF SCHEMATIC DIAGRAM

VOLTAGE MEASUREMENT CONDITION:

1. When the exclusive-use AC adapter is used, the colour bar signal of colour bar generator for service is input to get the normal screen. When the audio is minimized, the voltage value is measured with the 20 k Ω /V tester.

WAVEFORM MEASUREMENT CONDITION:

1. When the exclusive-use AC adapter is used, the colour density, lightness and colour hue are set to the center position, and the signal of colour bar generator for service is observed to get waveform.

The wave form test point is indicated with the mark (⓪) in the wiring diagram.

INDICATION OF RESISTOR & CAPACITOR:

RESISTOR

1. The unit of resistance “ Ω ” is omitted.
(K=k Ω =1000 Ω , M=M Ω).
2. All resistors are $\pm 5\%$, unless otherwise noted.
(J= $\pm 5\%$, F= $\pm 1\%$, D= $\pm 0.5\%$)
3. All resistors are Carbon type, unless otherwise noted.
 (Ⓢ) : Solid (Ⓜ) : Cement
 (Ⓞ) : Oxide Film (Ⓣ) : Special
 (Ⓝ) : Metal Coating

CAPACITOR

1. All capacitors are mF, unless otherwise noted.
(P=pF=mmF).
2. All capacitors are Ceramic type, unless otherwise noted.
 (ML) : Mylar (TA) : Tantalum
 (PF) : Polypro Film (ST) : Styrol

CAUTION:

This circuit diagram is original one, therefore there may be a slight difference from yours.

IMPORTANT SAFETY NOTICE:

PARTS MARKED WITH “ \triangle ” () ARE IMPORTANT FOR MAINTAINING THE SAFETY OF THE SET. BE SURE TO REPLACE THESE PARTS WITH SPECIFIED ONES FOR MAINTAINING THE SAFETY AND PERFORMANCE OF THE SET.

电路原理图的说明

电压测定条件：

1. 使用专用的 A C 转换器之场合，色带发生器发出用于维修保养的色带信号变为标准信号。音频信号减小时，其电压值可用20 千欧 / V 测试器测出。

波形测定条件：

1. 使用专用的 A C 转换器之场合，色度、亮度以及色调均自动被设定于中心位置。同时，用于维修保养的色带发生器信号呈现为波形图。

在线路图中，波形测试点用(⓪)加以标注。

电阻与电容器的表示：

电阻

1. 电阻欧姆 “ Ω ” 单位予以略记。
(K = k Ω = 1000 Ω , M = 兆 Ω).
2. 除特别说明者外，所有的电阻为 $\pm 5\%$ 。
(J = $\pm 5\%$, F = $\pm 1\%$, D = $\pm 0.5\%$).
3. 除特别说明者外，所有的电阻为碳质。
 (Ⓢ) : 固体电阻 (Ⓜ) : 陶瓷电阻
 (Ⓞ) : 氧化膜电阻 (Ⓣ) : 特殊电阻
 (Ⓝ) : 金属涂层电阻

电容器

1. 除特别说明者外，所有的电容器单位为微法(mF)。
(P = 微微法 = mmF).
2. 除特别说明者外，所有的电容器为陶瓷质。
 (ML) : 聚酯薄膜电容器 (TA) : 钽质电容器
 (PF) : 聚乙烯薄膜电容器 (ST) : 聚苯乙烯电容器


注意：

这里的电路原理图均为最初设计原理图，与您的机器的电路原理图可能有不同之处。


安全使用注意要点：

标有 “ \triangle ” () 的部件对于投影机安全的维护有至关重要的意义。为了维护本机的安全和使本机能正常工作，必须使用指定品来更换这些部件。


■ MAIN Unit -1/2 主电路装置-1/2




■ MAIN Unit -2/2 主电路装置-2/2



■ TERMINAL Unit 插接电路装置




REAY Unit 中继电器装置




DUNTK9919DE01
(QPWBS9919CEZZ)

■ OPERATION and LED Unit 操作和LED电路装置

OPERATION UNIT




LED UNIT



PRINTED WIRING BOARD ASSEMBLIES

印刷电路板组件




Main Unit (Side-A)


主电路装置印刷电路板 (A面视)

A						
	1	2	3	4	5	6

H



Relay Unit (Component Side)
中继装置印刷电路板（部件装备侧）



LED Unit (Component Side)
LED装置印刷电路板（部件装备侧）

G

F


E

D


C

B

A



Operation Unit (Side-A)
操作装置印刷电路板（部件装备侧）



Terminal Unit (Side-A)
插接装置印刷电路板（部件装备侧）

1

2


3

4


5

6

H
G
F
E
D
C
B
A



Operation Unit (Side-B)
操作装置印刷电路板（B面视）



Terminal Unit (Side-B)
插接装置印刷电路板（B面视）

1 2 3 4 5 6

PARTS LIST

PARTS REPLACEMENT

Replacement parts which have these special safety characteristics identified in this manual: electrical components having such features are identified by "△" in the Replacement Parts Lists.

The use of a substitute replacement part which does not have the same safety characteristics as the factory recommended replacement parts shown in this service manual may create shock, fire or other hazards.

"HOW TO ORDER REPLACEMENT PARTS"

To have your order filled promptly and correctly, please furnish the following informations.

- | | |
|-----------------|----------------|
| 1. MODEL NUMBER | 2. REF. NO. |
| 3. PART NO. | 4. DESCRIPTION |
| 5. CODE | 6. QUANTITY |

MARK ★: SPARE PARTS-DELIVERY SECTION

PRINTED WIRING BOARD ASSEMBLIES
(NOT REPLACEMENT ITEM)

DUNTKA077FE01	—	MAIN Unit (LC-10A2H-A/S)	—
DUNTKA077FE02	—	MAIN Unit (LC-10A2M-A/S)	—
DUNTKA078DE01	—	TERMINAL Unit (LC-10A2H-A/S)	—
DUNTKA078DE02	—	TERMINAL Unit (LC-10A2M-A/S)	—
DUNTKA079DE01	—	OPERATION Unit (LC-10A2H-A/S)	—
DUNTKA079DE02	—	OPERATION Unit (LC-10A2M-A/S)	—
DUNTKA080DE01	—	LED Unit (LC-10A2H-A/S)	—
DUNTKA080DE02	—	LED Unit (LC-10A2M-A/S)	—
DUNTKA081DE01	—	RELAY Unit (LC-10A2H-A/S)	—
DUNTKA081DE02	—	RELAY Unit (LC-10A2M-A/S)	—

DUNTKA077FE01 (LC-10A2H-A/S)
DUNTKA077FE02 (LC-10A2M-A/S)
MAIN UNIT

INTEGRATED CIRCUITS

IC201	VHiNJM2147M-1	J	I.C.	AF
IC301	VHiLA4227/-1	J	LA4227	AG
IC303	VHiNJM2283F-1	J	NJM2283M	AF
IC402	VHiNJM2235M-1	J	NJM2235M	AE
IC701	VHiAN8005M-1		AN8005M	AD
IC702	VHiNJM2377M-1	J	NJN2377M	AK
IC704	VHiBA033FP/-1	J	I.C.	AG
IC802	VHiVPC3230D-1	J	I.C.	BG
IC901	RH-iX3370CEZZ	J	I.C.	AZ
IC902	VHiNJM4560M-1	J	NJM4560M	AG
IC903	VHiNJM4560M-1	J	NJM4560M	AG
IC1101	VHiMB8346BPFV		MB8346BPFV	AN
IC1102	VHiNJM4565V-1	J	NIM4565V	AF
IC1103	VHiNJM4565V-1	J	NIM4565V	AF
IC1104	VHiNJM4565V-1	J	NJM4565V	AF
IC1105	VHiBU4053V/-1	J	BU4053BCFV-E2	AE
IC1106	VHiNJM4580V-1	J	NJM4580V	AE
IC1107	VHiNJM4580V-1	J	NJM4580V	AE
IC1108	VHiNJM4580V-1	J	NJM4580V	AE
IC1109	VHiNJM353M-1		NJM353M	AG
IC1110	VHiBU4053V/-1	J	BU4053BCFV-E2	AE

更换零件表

更换零件

本维修手册对具有特别安全要求的零件均用标记加以识别：

在此更换零件表中，具有特别安全要求的电路元件均用 △ 标记，以便注意识别。更换零件时，为了用户的安全以及液晶彩色电视机原有的工作性能，务请使用夏普规定零件。否则，可能有导致触电、火灾或其他不测事故发生的可能。

更换零件的订货方法

为了能迅速而确实地接受订货、以及正确无误地按时交货，在订货时请将下列各项明确告知。

- | | |
|---------|---------|
| 1. 型号 | 2. 参考编号 |
| 3. 零件编号 | 4. 零件名称 |
| 5. 代号 | 6. 数量 |

附 ★ 记号为备用部件的交货部门

Ref. No.	Part No.	★	Description	Code
IC1201	RH-iX3378CEZZ	J	I.C.	AY
IC1202	VHiPD485505-2	J	UPD485505G-25	AY
IC2001	RH-iX3447CEN2	J	I.C.	BK
IC2002	VHiPST529DM-1	J	PST529DMT	AE
IC2003	VHiTC4W66F/-1	J	TC4W66F	AE
IC2004	VHiBR24C08F-1	J	I.C.	AF
IC2005	VHiBA7046F/-1	J	BA7046F	AF

TRANSISTORS

Q201	VS2SC2712Y/-1	J	2SC2712Y	AB
Q202	VS2SC2712Y/-1	J	2SC2712Y	AB
Q203	VSFMY3////-1	J	FMY3	AB
Q204	VS2SC2712Y/-1	J	2SC2712Y	AB
Q302	VS2SA1162Y/-1	J	2SA1162Y	AB
Q303	VSDTC314TK/-1	J	DTC314TK	AC
Q304	VSDTC314TK/-1	J	DTC314TK	AC
Q306	VSDTC144EE/-1	J	DTC144	AA
Q308	VSDTC144EE/-1	J	DTC144	AA
Q701	VS2SA1162Y/-1	J	2SA1162Y	AB
Q702	VS2SK2503/-1	J	2SK2503	AE
Q703	VS2SC2712Y/-1	J	2SC2712Y	AB
Q707	VSDTC144EE/-1	J	DTC144	AA
Q708	VSFMMT718/-1	J	FMMT718	AE
Q709	VSDTC144EE/-1	J	DTC144	AA
Q710	VS2SA1162Y/-1	J	2SA1162Y	AB
Q751	VSFZT1053A/-1	J	FZT1053A	AG
Q752	VSFZT1053A/-1	J	FZT1053A	AG
Q753	VS2SA1162Y/-1	J	2SA1162Y	AB
Q754	VSDTC114YE/-1	J	DTC114VE	AB
Q757	VSUPA606T/-1	J	UPA606T	AD
Q1101	VS2SA1729S/-1	J	2SA1729S	AE
Q1102	VS2SC4520S/-1	J	2SC4520S	AF
Q1201	VSDTC144EE/-1	J	DTC144	AA
Q2003	VS2SC2712Y/-1	J	2SC2712Y	AB
Q2004	VSDTC144EE/-1	J	DTC144	AA
Q2005	VSDTA144EE/-1	J	DTC144	AA
Q2006	VSDTC144EE/-1	J	DTC144	AA

DIODES

D201	VHDDAN222/-1	J	Diode	AA
D702	VHDSFPB56//2E	J	Diode	AC
D703	VHD1SS250//1E	J	Diode	AB
D704	VHD1SS250//1E	J	Diode	AB
D705	VHDDAN222/-1	J	Diode	AA
D706	VHDSFPB74//2E	J	Diode	AD
D707	VHDDAN222/-1	J	Diode	AA
D709	VHDDAN222/-1	J	Diode	AA

Ref. No.	Part No.	★	Description	Code	Ref. No.	Part No.	★	Description	Code
DUNTKA077FE01 (LC-10A2H-A/S)									
DUNTKA077FE02 (LC-10A2M-A/S)									
MAIN UNIT (Continued)									
D710	VHDDAN222/-1	J	Diode	AA	C706	VCKYCY1HB562K	J	5600p 50V Ceramic	AA
D712	VHDDAN222/-1	J	Diode	AA	C707	VCKYCY1CF334Z	J	0.33 16V Ceramic	AA
D753	VHDI MN10//1	J	Diode	AB	C708	VCEAPF0JN226M	J	22 6.3V Electrolytic	AD
D754	VHDI MN10//1	J	Diode	AB	C710	VCKYTV1CF105Z	J	1.0 16V Ceramic	AB
D1101	VHD1SS250//1E	J	Diode	AB	C711	VCKYCY1EB103K	J	0.01 25V Ceramic	AA
D1201	VHDDAN222/-1	J	Diode	AA	C712	VCEAPT1AN226M	J	22 10V Electrolytic	AD
D1202	RH-EX0227CEZZ	J	Zener Diode	AB	C713	RC-EZ1176CEZZ	J	100 16V Electrolytic	AK
PACKAGED CIRCUITS					C716	VCKYTV1CF105Z	J	1.0 16V Ceramic	AB
X801	RCRSC0012CEZZ	J	Crystal	AH	C719	RC-EZ0420CEZZ	J	100 25V Electrolytic	AE
X901	RCRSB0250GEZZ	J	Crystal	AG	C721	VCEASD1HN336M	J	33 50V Electrolytic	AD
X2002	RFILA0107CEZZ	J	Filter	AD	C722	VCKYTV1HF104Z	J	0.1 50V Ceramic	AA
COILS					C728	VCKYTV1HF104Z	J	0.1 50V Ceramic	AA
L701	RCiLC0130CEZZ	J	Coil	AG	C729	VCKYTV1CF105Z	J	1.0 16V Ceramic	AB
L705	RCiLC0057CEZZ	J	Coil	AD	C731	VCCCCY1HH181J	J	180p 50V Ceramic	AA
L706	RCiLC0130CEZZ	J	Coil	AG	C733	RC-EZ0538CEZZ	J	330 16V Electrolytic	AE
L752	RCiLC0110CEZZ	J	Coil	AF	C734	VCKYTV1CF105Z	J	1.0 16V Ceramic	AB
L803	VP-1M3R3JR93N	J	Peaking 3.3μH	AB	C735	RC-EZ0416CEZZ	J	330 6.3V Electrolytic	AD
L804	RCiLC0055CEZZ	J	Coil	AD	C736	RC-EZ0416CEZZ	J	330 6.3V Electrolytic	AD
L805	RCiLC0055CEZZ	J	Coil	AD	C737	RC-EZ1339CEZZ	J	220 16V Electrolytic	AD
L806	VP-1M4R7J1R2N	J	Peaking 4.7μH	AB	C738	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB
L807	VP-1M4R7J1R2N	J	Peaking 4.7μH	AB	C740	VCEAPF1CN106M	J	10 16V Electrolytic	AD
L901	VP-1M4R7J1R2N	J	Peaking 4.7μH	AB	C741	VCKYTV1CF105Z	J	1.0 16V Ceramic	AB
L902	VP-1M101J7R7N	J	Peaking 100μH	AC	C746	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
L1202	VP-1M470J5R4N	J	Peaking 47μH	AC	C747	VCKYTV1HB562K	J	5600p 50V Ceramic	AA
L1203	VP-1M220J2R9N	J	Peaking 22μH	AC	C748	RC-EZ1339CEZZ	J	220 16V Electrolytic	AD
L1204	VP-1M220J2R9N	J	Peaking 22μH	AC	C749	RC-EZ1177CEZZ	J	150 6.3V Electrolytic	AH
L1205	VP-1M220J2R9N	J	Peaking 22μH	AC	C751	VCEA4U1CN228M	J	2200 16V Electrolytic	AE
TRANSFORMERS					C752	RC-FZ0173CEZZ	J	0.1 100V Mylar	AG
△ T701	RTRNZ0778CEZZ	J	Transformer	AM	C755	VCKYCY1HB103K	J	0.01 50V Ceramic	AA
△ T751	RTRNZ0764CEZZ	J	Transformer	AM	C757	VCKYCY1CB273K	J	0.027 16V Ceramic	AA
△ T752	RTRNZ0764CEZZ	J	Transformer	AM	C758	VCKYCY1CB273K	J	0.027 16V Ceramic	AA
CAPACITORS					C759	VCEAPF0JN107M	J	100 6.3V Electrolytic	AD
C201	VCKYTV1HF104Z	J	0.1 50V Ceramic	AA	C760	VCKYTV1HB103K	J	0.01 50V Ceramic	AA
C202	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA	C761	VCKYTV1HB103K	J	0.01 50V Ceramic	AA
C203	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB	C762	RC-FZ0174CEZZ	J	0.12 100V Mylar	AG
C204	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB	C763	VCKYCY1HB562K	J	5600p 50V Ceramic	AA
C205	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA	C764	VCKYTV1CF105Z	J	1.0 16V Ceramic	AB
C206	VCKYCY1HF103Z	J	0.01 50V Ceramic	AA	C765	VCKYTV1CF105Z	J	1.0 16V Ceramic	AB
C301	VCEAPF1CN106M	J	10 16V Electrolytic	AD	C801	VCEAPF1CN106M	J	10 16V Electrolytic	AD
C302	VCEAPF1CN107M	J	100 16V Electrolytic	AD	C802	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C303	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA	C803	VCCCCY1HH7R0D	J	7.0p 50V Ceramic	AA
C304	VCEAPF1CN476M	J	47 16V Electrolytic	AD	C804	VCCCCY1HH7R0D	J	7.0p 50V Ceramic	AA
C305	VCKYCY1EB223K	J	0.022 25V Ceramic	AA	C805	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB
C306	VCEAPW1CN477M	J	470 16V Electrolytic	AE	C806	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB
C307	VCEAPF1HN225M	J	2.2 50V Electrolytic	AD	C807	VCKYCY1HB331K	J	330p 50V Ceramic	AA
C308	VCEAPF1HN225M	J	2.2 50V Electrolytic	AD	C808	VCKYCY1HB331K	J	330p 50V Ceramic	AA
C309	VCKYCY1EB223K	J	0.022 25V Ceramic	AA	C809	VCEAPF0JW476M	J	47 6.3V Electrolytic	AB
C310	VCEAPF1CN476M	J	47 16V Electrolytic	AD	C810	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C311	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA	C811	VCKYCY1HB331K	J	330p 50V Ceramic	AA
C312	VCEAPF1CN107M	J	100 16V Electrolytic	AD	C812	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB
C313	VCKYTV1CF105Z	J	1.0 16V Ceramic	AB	C813	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB
C314	VCEA4U1CN228M	J	2200 16V Electrolytic	AE	C814	VCKYCY1HB102K	J	1000p 50V Ceramic	AA
C316	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA	C815	VCKYTV1CF684Z	J	0.68 16V Ceramic	AB
C317	VCEAPF1HN105M	J	1.0 50V Electrolytic	AD	C816	VCKYTV1CF684Z	J	0.68 16V Ceramic	AB
C318	VCEAPF1HN105M	J	1.0 50V Electrolytic	AD	C817	VCKYTV1CF684Z	J	0.68 16V Ceramic	AB
C319	VCEAPF0JW226M	J	22 6.3V Electrolytic	AB	C818	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB
C403	VCKYTV1AB105K	J	1.0 10V Ceramic	AD	C819	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB
C404	VCKYTV1AB105K	J	1.0 10V Ceramic	AD	C820	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C406	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA	C821	VCEAPF0JW476M	J	47 6.3V Electrolytic	AB
C408	VCCCCY1HH331J	J	330p 50V Ceramic	AA	C822	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB
C409	VCCCCY1HH331J	J	330p 50V Ceramic	AA	C825	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB
C411	VCCCCY1HH331J	J	330p 50V Ceramic	AA	C826	VCKYCY1CF224Z	J	0.22 16V Ceramic	AA
C701	VCCCCY1HH471J	J	470p 50V Ceramic	AA	C827	VCKYCY1CF224Z	J	0.22 16V Ceramic	AA
C702	VCKYTV1CF105Z	J	1.0 16V Ceramic	AB	C830	VCEAPF0GW107M	J	100 4.0V Electrolytic	AC
C703	VCEAPF1CN226M	J	22 16V Electrolytic	AD	C831	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C704	VCKYTV1CF105Z	J	1.0 16V Ceramic	AB	C835	VCKYCY1CF224Z	J	0.22 16V Ceramic	AA
					C839	VCKYCY1CF224Z	J	0.22 16V Ceramic	AA
					C840	VCKYCY1CF224Z	J	0.22 16V Ceramic	AA
					C841	VCKYCY1CF224Z	J	0.22 16V Ceramic	AA
					C842	VCEAPF0GW107M	J	100 4.0V Electrolytic	AC
					C844	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
					C848	VCEAPF0JW107M	J	100 6.3V Electrolytic	AC
					C874	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB
					C875	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB
					C876	VCEAPF0GW107M	J	100 4.0V Electrolytic	AC

Ref. No. Part No. ★ Description Code

DUNTKA077FE01 (LC-10A2H-A/S)
DUNTKA077FE02 (LC-10A2M-A/S)
MAIN UNIT (Continued)

C878	RC-KZ1025CEZZ	J	1.0	10V	Ceramic	AB
C879	VCKYTV1CF684Z	J	0.68	16V	Ceramic	AB
C902	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C905	VCEAPF1CW106M	J	10	16V	Electrolytic	AB
C906	VCEAPF1CW106M	J	10	16V	Electrolytic	AB
C909	VCKYCY1HB682K	J	6800p	50V	Ceramic	AA
C910	VCKYCY1HB682K	J	6800p	50V	Ceramic	AA
C911	VCEAPF1CW106M	J	10	16V	Electrolytic	AB
C912	VCEAPF1CW106M	J	10	16V	Electrolytic	AB
C913	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C914	RC-EZ0417CEZZ	J	150	16V	Electrolytic	AD
C915	VCEAPF0JW336M	J	33	6.3V	Electrolytic	AB
C916	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C917	RC-KZ1025CEZZ	J	1.0	10V	Ceramic	AB
C918	RC-KZ1025CEZZ	J	1.0	10V	Ceramic	AB
C919	RC-KZ1025CEZZ	J	1.0	10V	Ceramic	AB
C920	RC-KZ1025CEZZ	J	1.0	10V	Ceramic	AB
C921	RC-KZ1025CEZZ	J	1.0	10V	Ceramic	AB
C922	RC-KZ1025CEZZ	J	1.0	10V	Ceramic	AB
C923	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C924	VCEAPF1CW106M	J	10	16V	Electrolytic	AB
C925	RC-KZ1025CEZZ	J	1.0	10V	Ceramic	AB
C927	VCCCCY1HH560J	J	56p	50V	Ceramic	AA
C928	VCCCCY1HH560J	J	56p	50V	Ceramic	AA
C929	VCCCCY1HH560J	J	56p	50V	Ceramic	AA
C930	VCCCCY1HH5R0C	J	5.0p	50V	Ceramic	AA
C931	VCCCCY1HH5R0C	J	5.0p	50V	Ceramic	AA
C932	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C933	RC-EZ0417CEZZ	J	150	16V	Electrolytic	AD
C935	VCEAPF1CW226M	J	22	16V	Electrolytic	AB
C937	RC-EZ0417CEZZ	J	150	16V	Electrolytic	AD
C938	RC-EZ0417CEZZ	J	150	16V	Electrolytic	AD
C939	VCKYCY1HB561K	J	560p	50V	Ceramic	AA
C940	VCKYCY1HB152K	J	1500p	50V	Ceramic	AA
C941	VCKYCY1HB152K	J	1500p	50V	Ceramic	AA
C942	VCKYCY1HB561K	J	560p	50V	Ceramic	AA
C943	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C944	VCEAPF1CW106M	J	10	16V	Electrolytic	AB
C945	VCEAPF1HW225M	J	2.2	50V	Electrolytic	AB
C946	VCEAPF1HW225M	J	2.2	50V	Electrolytic	AB
C954	VCEAPF1CW106M	J	10	16V	Electrolytic	AB
C955	VCKYTV1CF105Z	J	1.0	16V	Ceramic	AB
C956	VCKYTV1CF105Z	J	1.0	16V	Ceramic	AB
C957	VCEAPF1EW475M	J	4.7	25V	Electrolytic	AB
C958	VCEAPF1EW475M	J	4.7	25V	Electrolytic	AB
C961	VCKYCY1HB102K	J	1000p	50V	Ceramic	AA
C962	VCKYCY1HB102K	J	1000p	50V	Ceramic	AA
C963	VCKYCY1HB102K	J	1000p	50V	Ceramic	AA
C964	VCKYCY1HB102K	J	1000p	50V	Ceramic	AA
C1101	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1102	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1103	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1104	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1105	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1106	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1107	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1108	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1109	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1110	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1111	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1112	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1113	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1114	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1115	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1116	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1117	VCCCCY1HH560J	J	56p	50V	Ceramic	AA
C1118	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1119	VCKYTV1CF105Z	J	1.0	16V	Ceramic	AB
C1120	VCKYTV1EF104Z	J	0.1	25V	Ceramic	AB
C1122	VCKYTV1CF105Z	J	1.0	16V	Ceramic	AB

Ref. No. Part No. ★ Description Code

C1123	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1124	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1202	VCKYCY1HB103K	J	0.01	50V	Ceramic	AA
C1203	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1204	VCCCCY1HH220J	J	22p	50V	Ceramic	AA
C1205	VCCCCY1HH220J	J	22p	50V	Ceramic	AA
C1206	VCEAPF1CN107M	J	100	16V	Electrolytic	AD
C1207	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1209	VCEAPF0JW107M	J	100	6.3V	Electrolytic	AC
C1210	VCEAPF0GW107M	J	100	4.0V	Electrolytic	AC
C1211	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1212	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C1213	VCEAPF0JW107M	J	100	6.3V	Electrolytic	AC
C1214	VCEAPF0GW107M	J	100	4.0V	Electrolytic	AC
C1215	RC-KZ1025CEZZ	J	1.0	10V	Ceramic	AB
C1217	VCEAPF1CW226M	J	22	16V	Electrolytic	AB
C1218	VCEAPF1CN106M	J	10	16V	Electrolytic	AD
C2001	VCKYCY1HB102K	J	1000p	50V	Ceramic	AA
C2002	VCCCCY1HH221J	J	220p	50V	Ceramic	AA
C2003	VCEAPF1HW105M	J	1.0	50V	Electrolytic	AB
C2006	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C2007	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C2009	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C2010	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C2015	VCKYCY1HB561K	J	560p	50V	Ceramic	AA
C2016	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C2017	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C2018	VCCCCY1HH101J	J	100p	50V	Ceramic	AA
C2019	VCKYTV1AB105K	J	1.0	10V	Ceramic	AD
C2020	VCKYCY1HB102K	J	1000p	50V	Ceramic	AA
C2021	VCEAPF1AW476M	J	47	10V	Electrolytic	AB
C2022	VCKYCY1EF104Z	J	0.1	25V	Ceramic	AA
C2023	VCKYTV1AB105K	J	1.0	10V	Ceramic	AD
C2024	VCKYCY1HB222K	J	2200p	50V	Ceramic	AA

RESISTORS

R201	VRS-CY1JF102J	J	1.0k	1/16W	Metal Oxide	AA
R202	VRS-CY1JF103F	J	10k	1/16W	Metal Oxide	AA
R203	VRS-CY1JF102F	J	1.0k	1/16W	Metal Oxide	AA
R204	VRS-CY1JF473F	J	47k	1/16W	Metal Oxide	AA
R205	VRS-CY1JF103J	J	10k	1/16W	Metal Oxide	AA
R206	VRS-CY1JF103F	J	10k	1/16W	Metal Oxide	AA
R207	VRS-CY1JF622F	J	6.2k	1/16W	Metal Oxide	AA
R208	VRS-CY1JF473F	J	47k	1/16W	Metal Oxide	AA
R209	VRS-CY1JF123F	J	12k	1/16W	Metal Oxide	AA
R210	VRS-CY1JF242F	J	2.4k	1/16W	Metal Oxide	AA
R211	VRS-CY1JF332F	J	3.3k	1/16W	Metal Oxide	AA
R212	VRS-CY1JF332F	J	3.3k	1/16W	Metal Oxide	AA
R213	VRS-CY1JF682F	J	6.8k	1/16W	Metal Oxide	AA
R214	VRS-CY1JF122F	J	1.2k	1/16W	Metal Oxide	AA
R215	VRS-CY1JF102J	J	1.0k	1/16W	Metal Oxide	AA
R216	VRS-CY1JF153J	J	15k	1/16W	Metal Oxide	AA
R217	VRS-CY1JF102J	J	1.0k	1/16W	Metal Oxide	AA
R218	VRS-CY1JF391J	J	390	1/16W	Metal Oxide	AA
R219	VRS-TV1JD103J	J	10k	1/16W	Metal Oxide	AA
R220	VRS-CY1JF102J	J	1.0k	1/16W	Metal Oxide	AA
R301	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R302	VRS-TX2HF8R2J	J	8.2	1/2W	Metal Oxide	AA
R303	VRS-CY1JF561J	J	560	1/16W	Metal Oxide	AA
R304	VRS-CY1JF561J	J	560	1/16W	Metal Oxide	AA
R305	VRS-TX2HF8R2J	J	8.2	1/2W	Metal Oxide	AA
R308	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R309	VRS-TW2ED222J	J	2.2k	1/4W	Metal Oxide	AA
R310	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R311	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R314	VRS-CY1JF472J	J	4.7k	1/16W	Metal Oxide	AA
R315	VRS-CY1JF392J	J	3.9k	1/16W	Metal Oxide	AA
R316	VRS-CY1JF472J	J	4.7k	1/16W	Metal Oxide	AA
R317	VRS-CY1JF392J	J	3.9k	1/16W	Metal Oxide	AA
R324	VRS-CY1JF472J	J	4.7k	1/16W	Metal Oxide	AA
R327	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R328	VRS-CY1JF104J	J	100k	1/16W	Metal Oxide	AA
R329	VRS-CY1JF104J	J	100k	1/16W	Metal Oxide	AA
R331	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R401	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA

Ref. No.	Part No.	★	Description	Code	Ref. No.	Part No.	★	Description	Code
DUNTKA077FE01 (LC-10A2H-A/S)					R803	VRS-CB1JF220J	J 22	1/16W Metal Oxide	AC
DUNTKA077FE02 (LC-10A2M-A/S)					R804	VRS-CA1JF101J	J 100	1/16W Metal Oxide	AA
MAIN UNIT (Continued)					R806	VRS-CY1JF221J	J 220	1/16W Metal Oxide	AA
R402	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA	R809	VRS-CY1JF750J	J 75	1/16W Metal Oxide	AA
R403	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA	R810	VRS-CB1JF220J	J 22	1/16W Metal Oxide	AC
R404	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA	R811	VRS-CY1JF222J	J 2.2k	1/16W Metal Oxide	AA
R405	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA	R812	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R406	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA	R813	VRS-CB1JF220J	J 22	1/16W Metal Oxide	AC
R407	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA	R814	VRS-CY1JF332J	J 3.3k	1/16W Metal Oxide	AA
R408	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA	R815	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R409	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA	R816	VRS-CA1JF470J	J 47	1/16W Metal Oxide	AB
R410	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA	R819	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R411	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA	R826	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R418	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA	R831	VRS-CY1JF102J	J 1.0k	1/16W Metal Oxide	AA
R420	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA	R832	VRS-CY1JF102J	J 1.0k	1/16W Metal Oxide	AA
R424	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA	R833	VRS-CY1JF102J	J 1.0k	1/16W Metal Oxide	AA
R430	VRS-CA1JF101J	J 100	1/16W Metal Oxide	AA	R834	VRS-CY1JF102J	J 1.0k	1/16W Metal Oxide	AA
R434	VRS-CY1JF105J	J 1.0M	1/16W Metal Oxide	AA	R852	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R435	VRS-CY1JF105J	J 1.0M	1/16W Metal Oxide	AA	R860	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R436	VRS-CY1JF105J	J 1.0M	1/16W Metal Oxide	AA	R861	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R437	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA	R901	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R701	VRS-CY1JF1R0J	J 1.0	1/16W Metal Oxide	AA	R902	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R702	VRS-CY1JF154J	J 150k	1/16W Metal Oxide	AA	R903	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R703	VRS-CY1JF274J	J 270k	1/16W Metal Oxide	AA	R905	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R704	VRS-TQ2BD000J	J 0	1/16W Metal Oxide	AA	R909	VRS-CY1JF102J	J 1.0k	1/16W Metal Oxide	AA
R705	VRS-TX2HF000J	J 0	1/2W Metal Oxide	AA	R910	VRS-CY1JF102J	J 1.0k	1/16W Metal Oxide	AA
R706	VRS-CR3AD821J	J 820	1W Metal Oxide	AC	R911	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R707	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA	R912	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R708	VRS-CY1JF272F	J 2.7k	1/16W Metal Oxide	AA	R913	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R709	VRS-CY1JF123F	J 12k	1/16W Metal Oxide	AA	R914	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R711	VRS-CY1JF184J	J 180k	1/16W Metal Oxide	AA	R915	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R712	VRS-CY1JF683F	J 68k	1/16W Metal Oxide	AA	R916	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R713	VRS-CY1JF133F	J 13k	1/16W Metal Oxide	AA	R917	VRS-CY1JF105J	J 1.0M	1/16W Metal Oxide	AA
R715	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA	R918	VRS-CY1JF822F	J 8.2k	1/16W Metal Oxide	AA
R716	VRS-TX2HF000J	J 0	1/16W Metal Oxide	AA	R919	VRS-CY1JF822F	J 8.2k	1/16W Metal Oxide	AA
R717	VRS-CY1JF152F	J 1.5k	1/16W Metal Oxide	AA	R920	VRS-CY1JF822F	J 8.2k	1/16W Metal Oxide	AA
R718	VRS-CY1JF274J	J 270k	1/16W Metal Oxide	AA	R921	VRS-CY1JF822F	J 8.2k	1/16W Metal Oxide	AA
R719	VRS-CY1JF563F	J 56k	1/16W Metal Oxide	AA	R922	VRS-CY1JF223J	J 22k	1/16W Metal Oxide	AA
R720	VRS-CY1JF473J	J 47k	1/16W Metal Oxide	AA	R923	VRS-CY1JF223J	J 22k	1/16W Metal Oxide	AA
R721	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA	R924	VRS-CY1JF473J	J 47k	1/16W Metal Oxide	AA
R722	VRS-CY1JF105J	J 1.0M	1/16W Metal Oxide	AA	R925	VRS-CY1JF473J	J 47k	1/16W Metal Oxide	AA
R723	VRS-CY1JF682J	J 6.8k	1/16W Metal Oxide	AA	R951	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R724	VRS-TQ2BD000J	J 0	1/16W Metal Oxide	AA	R954	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R725	VRS-CY1JF1R0J	J 1.0	1/16W Metal Oxide	AA	R956	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R726	VRS-CY1JF1R0J	J 1.0	1/16W Metal Oxide	AA	R957	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R729	VRS-TQ2BD000J	J 0	1/16W Metal Oxide	AA	R958	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R731	VRS-TQ2BD000J	J 0	1/16W Metal Oxide	AA	R959	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R732	VRS-TW2ED222J	J 2.2k	1/4W Metal Oxide	AA	R960	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R733	VRS-TQ2BD683J	J 68k	1/8W Metal Oxide	AA	R961	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R734	VRS-CY1JF393J	J 39k	1/16W Metal Oxide	AA	R962	VRS-CY1JF153J	J 15k	1/16W Metal Oxide	AA
R735	VRS-CY1JF223J	J 22k	1/16W Metal Oxide	AA	R963	VRS-CY1JF223J	J 22k	1/16W Metal Oxide	AA
R736	VRS-CY1JF1R0J	J 1.0	1/16W Metal Oxide	AA	R964	VRS-CY1JF473J	J 47k	1/16W Metal Oxide	AA
R737	VRS-CY1JF472J	J 4.7k	1/16W Metal Oxide	AA	R965	VRS-CY1JF473J	J 47k	1/16W Metal Oxide	AA
R738	VRS-TW2ED102J	J 1.0k	1/4W Metal Oxide	AA	R966	VRS-CY1JF152J	J 1.5k	1/16W Metal Oxide	AA
R739	VRS-CY1JF102J	J 1.0k	1/16W Metal Oxide	AA	R967	VRS-CY1JF152J	J 1.5k	1/16W Metal Oxide	AA
R740	VRS-CY1JF102J	J 1.0k	1/16W Metal Oxide	AA	R968	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA
R741	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA	R969	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA
R742	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA	R1101	VRS-CA1JF333J	J 33k	1/16W Metal Oxide	AA
R747	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA	R1102	VRS-CA1JF103J	J 10k	1/16W Metal Oxide	AA
R748	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA	R1103	VRS-CA1JF103J	J 10k	1/16W Metal Oxide	AA
R751	VRS-TW2ED392J	J 3.9k	1/4W Metal Oxide	AA	R1104	VRS-CA1JF333J	J 33k	1/16W Metal Oxide	AA
R752	VRS-TW2ED392J	J 3.9k	1/4W Metal Oxide	AA	R1105	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R753	VRS-CY1JF333J	J 33k	1/16W Metal Oxide	AA	R1106	VRS-CA1JF333J	J 33k	1/16W Metal Oxide	AA
R754	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA	R1107	VRS-CA1JF103J	J 10k	1/16W Metal Oxide	AA
R755	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA	R1108	VRS-CA1JF103J	J 10k	1/16W Metal Oxide	AA
R765	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA	R1109	VRS-CA1JF333J	J 33k	1/16W Metal Oxide	AA
R766	VRS-CA1JF821J	J 820	1/16W Metal Oxide	AA	R1110	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R768	VRS-CA1JF104J	J 100k	1/16W Metal Oxide	AA	R1111	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R770	VRS-CA1JF562J	J 5.6k	1/16W Metal Oxide	AA	R1112	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R772	VRS-CY1JF563J	J 56k	1/16W Metal Oxide	AA	R1113	VRS-CA1JF333J	J 33k	1/16W Metal Oxide	AA
R773	VRS-TW2ED000J	J 0	1/4W Metal Oxide	AB	R1114	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R774	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA	R1115	VRS-CY1JF102J	J 1.0k	1/16W Metal Oxide	AA
R801	VRS-CB1JF221J	J 220	1/16W Metal Oxide	AC	R1116	VRS-CY1JF102J	J 1.0k	1/16W Metal Oxide	AA
R802	VRS-CB1JF220J	J 22	1/16W Metal Oxide	AC	R1117	VRS-CY1JF102J	J 1.0k	1/16W Metal Oxide	AA
					R1118	VRS-CY1JF104F	J 100k	1/16W Metal Oxide	AA

Ref. No. Part No. ★ Description Code

**DUNTKA077FE01 (LC-10A2H-A/S)
DUNTKA077FE02 (LC-10A2M-A/S)
MAIN UNIT (Continued)**

R1119	VRS-CY1JF472F	J	4.7k	1/16W	Metal Oxide	AA
R1120	VRS-TW2ED1R5J	J	1.5	1/4W	Metal Oxide	AB
R1121	VRS-CY1JF330J	J	33	1/16W	Metal Oxide	AA
R1122	VRS-CY1JF102J	J	1.0k	1/16W	Metal Oxide	AA
R1123	VRS-CY1JF330J	J	33	1/16W	Metal Oxide	AA
R1124	VRS-CY1JF472F	J	4.7k	1/16W	Metal Oxide	AA
R1125	VRS-TW2ED101J	J	100	1/4W	Metal Oxide	AA
R1127	VRS-CY1JF3R9J	J	3.9	1/16W	Metal Oxide	AA
R1129	VRS-CY1JF563F	J	56k	1/16W	Metal Oxide	AA
R1130	VRS-TW2ED1R5J	J	1.5	1/4W	Metal Oxide	AB
R1132	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1133	VRS-CY1JF223F	J	22k	1/16W	Metal Oxide	AA
R1134	VRS-CY1JF223F	J	22k	1/16W	Metal Oxide	AA
R1135	VRS-CY1JF561J	J	560	1/16W	Metal Oxide	AA
R1136	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1137	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1138	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1202	VRS-CB1JF220J	J	22	1/16W	Metal Oxide	AC
R1203	VRS-CA1JF220J	J	22	1/16W	Metal Oxide	AA
R1204	VRS-CB1JF220J	J	22	1/16W	Metal Oxide	AC
R1205	VRS-CA1JF220J	J	22	1/16W	Metal Oxide	AA
R1206	VRS-CB1JF220J	J	22	1/16W	Metal Oxide	AC
R1207	VRS-CA1JF220J	J	22	1/16W	Metal Oxide	AA
R1208	VRS-CY1JF560J	J	56	1/16W	Metal Oxide	AA
R1209	VRS-CA1JF220J	J	22	1/16W	Metal Oxide	AA
R1210	VRS-CY1JF220J	J	22	1/16W	Metal Oxide	AA
R1211	VRS-CY1JF221J	J	220	1/16W	Metal Oxide	AA
R1212	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1214	VRS-CB1JF101J	J	100	1/16W	Metal Oxide	AA
R1217	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R1218	VRS-CA1JF101J	J	100	1/16W	Metal Oxide	AA
R1220	VRS-CY1JF472J	J	4.7k	1/16W	Metal Oxide	AA
R1221	VRS-CB1JF332J	J	3.3k	1/16W	Metal Oxide	AC
R1222	VRS-CB1JF101J	J	100	1/16W	Metal Oxide	AA
R1223	VRS-CA1JF101J	J	100	1/16W	Metal Oxide	AA
R1225	VRS-CY1JF472J	J	4.7k	1/16W	Metal Oxide	AA
R1228	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1229	VRS-CY1JF103J	J	10k	1/16W	Metal Oxide	AA
R1230	VRS-CY1JF562J	J	5.6k	1/16W	Metal Oxide	AA
R1232	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R1233	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R1234	VRS-CY1JF472J	J	4.7k	1/16W	Metal Oxide	AA
R1235	VRS-CB1JF473J	J	47k	1/16W	Metal Oxide	AC
R1236	VRS-CB1JF473J	J	47k	1/16W	Metal Oxide	AC
R2001	VRS-CY1JF102J	J	1.0k	1/16W	Metal Oxide	AA
R2002	VRS-CY1JF102J	J	1.0k	1/16W	Metal Oxide	AA
R2003	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R2004	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R2007	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R2008	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2009	VRS-CY1JF102J	J	1.0k	1/16W	Metal Oxide	AA
R2010	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2011	VRS-CB1JF101J	J	100	1/16W	Metal Oxide	AA
R2014	VRS-CA1JF103J	J	10k	1/16W	Metal Oxide	AA
R2016	VRS-CA1JF223J	J	22k	1/16W	Metal Oxide	AA
R2018	VRS-CA1JF101J	J	100	1/16W	Metal Oxide	AA
R2019	VRS-CB1JF331J	J	330	1/16W	Metal Oxide	AC
R2025	VRS-CY1JF103J	J	10k	1/16W	Metal Oxide	AA
R2028	VRS-CB1JF102J	J	1.0k	1/16W	Metal Oxide	AA
R2031	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2032	VRS-CY1JF471J	J	470	1/16W	Metal Oxide	AA
R2033	VRS-CY1JF105J	J	1.0M	1/16W	Metal Oxide	AA
R2035	VRS-CY1JF102J	J	1.0k	1/16W	Metal Oxide	AA
R2041	VRS-CA1JF101J	J	100	1/16W	Metal Oxide	AA
R2042	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2045	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R2047	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R2048	VRS-CY1JF332J	J	3.3k	1/16W	Metal Oxide	AA
R2049	VRS-CY1JF332J	J	3.3k	1/16W	Metal Oxide	AA
R2050	VRS-CY1JF562J	J	5.6k	1/16W	Metal Oxide	AA

Ref. No. Part No. ★ Description Code

R2051	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2052	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2053	VRS-CY1JF104J	J	100k	1/16W	Metal Oxide	AA
R2054	VRS-CY1JF333J	J	33k	1/16W	Metal Oxide	AA
R2055	VRS-CY1JF103J	J	10k	1/16W	Metal Oxide	AA
R2056	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2057	VRS-CY1JF103J	J	10k	1/16W	Metal Oxide	AA
R2058	VRS-CY1JF474J	J	470k	1/16W	Metal Oxide	AA
R2059	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R2061	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R2062	VRS-CY1JF333J	J	33k	1/16W	Metal Oxide	AA
R2063	VRS-CY1JF333J	J	33k	1/16W	Metal Oxide	AA
R2067	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2068	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2074	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R2075	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R2076	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA

MISCELLANEOUS PARTS

FB702	RBLN-0051TAZZ	J	Ferrite Bead	AC
FB703	RBLN-0051TAZZ	J	Ferrite Bead	AC
FB704	RBLN-0051TAZZ	J	Ferrite Bead	AC
FB705	RBLN-0095CEZZ	J	Ferrite Bead	AD
FB706	RBLN-0051TAZZ	J	Ferrite Bead	AC
FB708	RBLN-0095CEZZ	J	Ferrite Bead	AD
FB709	RBLN-0090CEZZ	J	Ferrite Bead	AD
FB801	RBLN-0090CEZZ	J	Ferrite Bead	AD
FB802	RBLN-0090CEZZ	J	Ferrite Bead	AD
FB901	RBLN-0006TAZZ	J	Ferrite Bead	AB
FB1201	RBLN-0090CEZZ	J	Ferrite Bead	AD
FB1202	RBLN-0006TAZZ	J	Ferrite Bead	AB
FB1203	RBLN-0076TAZZ	J	Ferrite Bead	AC
P701	QPLGN1178GEZZ	J	Plug, 11-pin	AC
P751	QPLGN0155FJZZ	J	Plug, 3-pin (HV)	AE
P752	QPLGN0155FJZZ	J	Plug, 3-pin (HU)	AE
P2002	QPLGN1320REZZ	J	Plug, 13-pin	AC
P2003	QPLGN0520REZZ	J	Plug, 5-pin	AB
P2004	QPLGN0420REZZ	J	Plug, 4-pin	AA
SC401	QSOCN0464FJZZ	J	Socket, 40-pin	AH
SC1201	QSOCN0461FJZZ	J	Socket, 53-pin	AH
SC1203	QSOCN0199FJZZ	J	Socket, 20-pin	AE
	LHLDW1077GEZZ	J	Holder	AA

**DUNTKA078DE01 (LC-10A2H-A/S)
DUNTKA078DE02 (LC-10A2M-A/S)
TERMINAL UNIT****TUNER****NOTE: THE PARTS HERE SHOWN ARE SUPPLIED AS AN ASSEMBLY BUT NOT INDEPENDENTLY.**

TU3201	VTUVT2U5CD553	J	VHF Tuner	BD
--------	---------------	---	-----------	----

TRANSISTORS

Q3201	VSDTC144EE/-1	J	DTC144	AA
Q3202	VSDTC144EE/-1	J	DTC144	AA
Q3203	VSDTC144EE/-1	J	DTC144	AA
Q3204	VS2SC2712Y/-1	J	2SC2712Y	AB
Q3205	VS2SC2712Y/-1	J	2SC2712Y	AB
Q3301	VS2SC2712Y/-1	J	2SC2712Y	AB
Q3302	VS2SC2712Y/-1	J	2SC2712Y	AB
Q3303	VSDTC314TK/-1	J	DTC314TK	AC
Q3304	VSDTC314TK/-1	J	DTC314TK	AC
Q3401	VS2SC2712Y/-1	J	2SC2712Y	AB
Q3402	VS2SC2712Y/-1	J	2SC2712Y	AB
Q3403	VSDTC144EE/-1	J	DTC144	AA
Q3404	VS2SK1467/-1	J	2SK1467	AE
Q3405	VS2SK1467/-1	J	2SK1467	AE

DIODES

D3301	VHDE5SC4M/-1		Diode	AF
D3401	RH-EX1271CEZZ	J	Zener Diode	AB
D3402	RH-EX1271CEZZ	J	Zener Diode	AB

Ref. No.	Part No.	★	Description	Code
DUNTKA078DE01 (LC-10A2H-A/S) DUNTKA078DE02 (LC-10A2M-A/S) TERMINAL UNIT (Continued)				
D3403	RH-EX1271CEZZ	J	Zener Diode	AB
COILS				
L3201	VP-1M220J2R9N	J	Peaking 22μH	AC
L3202	RCiLC0141CEZZ	J	Coil	AF
L3401	VP-1M101J7R7N	J	Peaking 100μH	AC
CAPACITORS				
C3201	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3202	VCEA4U0JN338M	J	3300 6.3V Electrolytic	AE
C3203	VCKYCY1HB103K	J	0.01 50V Ceramic	AA
C3204	VCKYCY1HB102K	J	1000p 50V Ceramic	AA
C3205	VCCCCY1HH330J	J	33p 50V Ceramic	AA
C3206	VCKYCY1HB103K	J	0.01 50V Ceramic	AA
C3207	VCCCCY1HH330J	J	33p 50V Ceramic	AA
C3208	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3209	VCKYCY1HB102K	J	1000p 50V Ceramic	AA
C3301	VCE9PF1AW106M	J	10 10V Elect. (N.P)	AE
C3302	VCE9PF1AW106M	J	10 10V Elect. (N.P)	AE
C3303	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3304	VCKYTV1CB105K	J	1.0 16V Ceramic	AC
C3305	VCKYTV1CB105K	J	1.0 16V Ceramic	AC
C3306	VCKYCY1HB102K	J	1000p 50V Ceramic	AA
C3308	VCEAPF1CW106M	J	10 16V Electrolytic	AB
C3311	RC-EZ0417CEZZ	J	150 16V Electrolytic	AD
C3312	RC-EZ0417CEZZ	J	150 160V Electrolytic	AD
C3313	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB
C3314	VCKYTV1CB105K	J	1.0 16V Ceramic	AC
C3315	VCKYTV1CB105K	J	1.0 16V Ceramic	AC
C3402	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3403	VCEAPW1CN477M	J	470 16V Electrolytic	AE
C3404	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3405	VCEAPF0JW336M	J	33 6.3V Electrolytic	AB
C3406	RC-KZ1025CEZZ	J	1.0 10V Ceramic	AB
C3407	VCEAPF0JW226M	J	22 6.3V Electrolytic	AB
RESISTORS				
R3201	VRS-CY1JF102J	J	1.0k 1/16W Metal Oxide	AA
R3202	VRS-CA1JF101J	J	100 1/16W Metal Oxide	AA
R3203	VRS-CY1JF102J	J	1.0k 1/16W Metal Oxide	AA
R3204	VRS-CY1JF102J	J	1.0k 1/16W Metal Oxide	AA
R3205	VRS-CY1JF153J	J	15k 1/16W Metal Oxide	AA
R3206	VRS-CY1JF332J	J	3.3k 1/16W Metal Oxide	AA
R3207	VRS-CY1JF152J	J	1.5k 1/16W Metal Oxide	AA
R3208	VRS-CY1JF331J	J	330 1/16W Metal Oxide	AA
R3209	VRS-CY1JF102J	J	1.0k 1/16W Metal Oxide	AA
R3301	VRS-CY1JF104J	J	100k 1/16W Metal Oxide	AA
R3302	VRS-CY1JF101J	J	100 1/16W Metal Oxide	AA
R3303	VRS-CY1JF104J	J	100k 1/16W Metal Oxide	AA
R3304	VRS-CY1JF101J	J	100 1/16W Metal Oxide	AA
R3305	VRS-TQ2BD750J	J	75 1/8W Metal Oxide	AA
R3306	VRS-CY1JF102J	J	1.0k 1/16W Metal Oxide	AA
R3307	VRS-CY1JF104J	J	100k 1/16W Metal Oxide	AA
R3308	VRS-CY1JF101J	J	100 1/16W Metal Oxide	AA
R3309	VRS-CY1JF104J	J	100k 1/16W Metal Oxide	AA
R3310	VRS-CY1JF102J	J	1.0k 1/16W Metal Oxide	AA
R3313	VRS-CY1JF101J	J	100 1/16W Metal Oxide	AA
R3314	VRS-CY1JF101J	J	100 1/16W Metal Oxide	AA
R3315	VRS-CY1JF101J	J	100 1/16W Metal Oxide	AA
R3316	VRS-CY1JF104J	J	100k 1/16W Metal Oxide	AA
R3319	VRS-TQ2BD750J	J	75 1/8W Metal Oxide	AA
R3320	VRS-CY1JF104J	J	100k 1/16W Metal Oxide	AA
R3321	VRS-CY1JF822J	J	8.2k 1/16W Metal Oxide	AA
R3323	VRS-CY1JF101J	J	100 1/16W Metal Oxide	AA
R3324	VRS-CY1JF102J	J	1.0k 1/16W Metal Oxide	AA
R3326	VRS-CY1JF104J	J	100k 1/16W Metal Oxide	AA
R3327	VRS-CY1JF104J	J	100k 1/16W Metal Oxide	AA
R3328	VRS-CY1JF562J	J	5.6k 1/16W Metal Oxide	AA
R3329	VRS-CY1JF101J	J	100 1/16W Metal Oxide	AA
R3330	VRS-TX2HF331J	J	330 1/2W Metal Oxide	AB

Ref. No.	Part No.	★	Description	Code
R3331	VRS-TX2HF331J	J	330 1/2W Metal Oxide	AB
R3332	VRS-CR3AD3R9J	J	3.9 1W Metal Oxide	AC
R3333	VRS-CR3AD3R9J	J	3.9 1W Metal Oxide	AC
R3334	VRS-CY1JF102J	J	1.0k 1/16W Metal Oxide	AA
R3401	VRS-TQ2BD750J	J	75 1/8W Metal Oxide	AA
R3402	VRS-CY1JF101J	J	100 1/16W Metal Oxide	AA
R3404	VRS-CY1JF101J	J	100 1/16W Metal Oxide	AA
R3405	VRS-CY1JF000J	J	0 1/16W Metal Oxide	AA
R3409	VRS-CY1JF104J	J	100k 1/16W Metal Oxide	AA
R3410	VRS-TQ2BD750J	J	75 1/8W Metal Oxide	AA
R3411	VRS-CY1JF680J	J	68 1/16W Metal Oxide	AA
R3412	VRS-CY1JF680J	J	68 1/16W Metal Oxide	AA
R3413	VRS-CY1JF223J	J	22k 1/16W Metal Oxide	AA
R3414	VRS-CY1JF101J	J	100 1/16W Metal Oxide	AA
R3415	VRS-CY1JF562J	J	5.6k 1/16W Metal Oxide	AA
R3416	VRS-CY1JF272J	J	2.7k 1/16W Metal Oxide	AA
R3417	VRS-CY1JF750J	J	75 1/16W Metal Oxide	AA
R3701	VRS-TW2ED000J	J	0 1/4W Metal Oxide	AB
R3702	VRS-TW2ED000J	J	0 1/4W Metal Oxide	AB
MISCELLANEOUS PARTS				
△ F3701	QFS-C1223CEZZ	J	Fuse 1.25A	AD
△ F3702	QFS-C1223CEZZ	J	Fuse 1.25A	AD
△ F3751	QFS-C2023CEZZ	J	Fuse 2.0A	AD
FH3701	QFSDH1002CEZZ	J	Fuse Holder	AA
FH3702	QFSDH1002CEZZ	J	Fuse Holder	AA
FH3703	QFSDH1002CEZZ	J	Fuse Holder	AA
FH3704	QFSDH1002CEZZ	J	Fuse Holder	AA
FH3751	QFSDH1002CEZZ	J	Fuse Holder	AA
FH3752	QFSDH1002CEZZ	J	Fuse Holder	AA
J3201	QJAKJ0007TAZZ	J	Antenna Input Terminal	AC
J3301	QSOC0406GEZZ	J	AV Input 1, S-Video	AF
J3302	QJAKJ0080CEZZ	J	AV Output, Audio	AF
J3303	QJAKE0166CEZZ	J	AV Input 1, Audio (L)	AE
J3304	QJAKE0167CEZZ	J	AV Input 1, Audio (R)	AE
J3305	QJAKJ0080CEZZ	J	AV Input 2, Audio	AF
J3401	QJAKJ0080CEZZ	J	AV Input 2, Video	AF
J3402	QJAKE0168CEZZ	J	AV Input 1, Video	AE
J3403	QJAKJ0080CEZZ	J	AV Output, Video	AF
J3404	QJAKJ0080CEZZ	J	Headphone Output	AF
J3701	QJAKE0165CEZZ	J	Jack, DC Input	AE
P3203	QPLGN0280GEZZ	J	Plug, 2-pin	AB
P3204	QPLGN0280GEZZ	J	Plug, 2-pin	AB
P3701	QPLGN1178GEZZ	J	Plug, 11-pin	AC
SC3401	QSOCN0464FJZZ	J	Socket, 50-pin	AH
	QCNW-5545CEZZ	J	Connecting Cord	AL
	RCORF0094CEZZ	J	Core	AH

DUNTKA079DE01 (LC-10A2H-A/S)
DUNTKA079DE02 (LC-10A2M-A/S)
OPERATION UNIT
DIODES

D4016	RH-EX1271CEZZ	J	Zener Diode	AB
D4017	RH-EX1271CEZZ	J	Zener Diode	AB
D4018	RH-EX1283CEZZ	J	Zener Diode	AB
D4019	RH-EX1283CEZZ	J	Zener Diode	AB

CAPACITORS

C4001	VCCCCY1HH471J	J	470p 50V Ceramic	AA
C4002	VCCCCY1HH471J	J	470p 50V Ceramic	AA

RESISTORS

R4080	VRS-CY1JF822J	J	8.2k 1/16W Metal Oxide	AA
R4081	VRS-CY1JF123J	J	12k 1/16W Metal Oxide	AA
R4082	VRS-CY1JF273J	J	27k 1/16W Metal Oxide	AA
R4083	VRS-CY1JF563J	J	56k 1/16W Metal Oxide	AA
R4084	VRS-CY1JF822J	J	8.2k 1/16W Metal Oxide	AA
R4085	VRS-CY1JF123J	J	12k 1/16W Metal Oxide	AA
R4086	VRS-CY1JF273J	J	27k 1/16W Metal Oxide	AA

Ref. No. Part No. ★ Description Code

DUNTKA079DE01 (LC-10A2H-A/S)
DUNTKA079DE02 (LC-10A2M-A/S)
OPERATION UNIT (Continued)

SWITCHES

S4009	QSW-K0088GEZZ	J	Switch, MENU	AD
S4010	QSW-K0088GEZZ	J	Switch, CHANNEL UP (▲)	AD
S4011	QSW-K0088GEZZ	J	Switch, CHANNEL DOWN(▼)	AD
S4012	QSW-K0088GEZZ	J	Switch, MUTE	AD
S4013	QSW-K0088GEZZ	J	Switch, BRIGHT	AD
S4014	QSW-K0088GEZZ	J	Switch, VOLUME DOWN(▼)	AD
S4015	QSW-K0088GEZZ	J	Switch, VOLUME UP (▲)	AD
S4016	QSW-K0088GEZZ	J	Switch, TV/VIDEO	AD
S4017	QSW-K0088GEZZ	J	Switch, DISPLAY	AD
S4701	QSW-S0213CEZZ	J	Switch, MAIN POWER	AE

MISCELLANEOUS PARTS

P4004	QPLGN0564TAZZ	J	Plug, 5-pin	AC
-------	---------------	---	-------------	----

DUNTKA080DE01 (LC-10A2H-A/S)
DUNTKA080DE02 (LC-10A2M-A/S)
LED UNIT

TRANSISTORS

Q4106	VSDTC144EE/-1	J	DTC144	AA
Q4107	VSUMG4/////1	J	UMG4	AC

DIODES

D4120	RH-EX1271CEZZ	J	Zener Diode	AB
D4121	RH-EX1271CEZZ	J	Zener Diode	AB
D4122	RH-PX0368CEZZ	J	LED (Red/Green)	AE

CAPACITOR

C4120	VCKYTV1CF105Z	J	1.0 16V Ceramic	AB
-------	---------------	---	-----------------	----

RESISTORS

R4187	VRS-CY1JF331J	J	330 1/16W Metal Oxide	AA
R4188	VRS-CY1JF102J	J	1.0k 1/16W Metal Oxide	AA
R4189	VRS-CY1JF472J	J	4.7k 1/16W Metal Oxide	AA
R4190	VRS-CY1JF101J	J	100 1/16W Metal Oxide	AA

MISCELLANEOUS PARTS

SC4102	QPLGN0464TAZZ	J	Plug, 4-pin	AC
RMC4101	RRMCU0225CEZZ	J	R/C Receiver	AK
	PSLDM4450CEFW	J	Shield	AE
	QCNW-5710CEZZ	J	Connecting Cord	AC

DUNTKA081DE01 (LC-10A2H-A/S)
DUNTKA081DE02 (LC-10A2M-A/S)
RELAY UNIT

MISCELLANEOUS PARTS

SC1401	QSOCN0461FJZZ	J	Socket, 53-pin	AH
SC1402	QCNCW5028CEZZ	J	Connector, 50-pin	AH


Ref. No. Part No. ★ Description Code

CABINET PARTS LOCATION

1	CCABA2397CE02	J	Front Cabinet Ass'y (LC-10A2-HA/MA)	BE
1	CCABA2397CE01	J	Front Cabinet Ass'y (LC-10A2-HS/MS)	BE
1-1	Not Available	—	Front Cabinet	—
1-2	GCOVA1850CEKA	J	Cover, for R/C Receiver	AG
1-3	GCOVA1817CESA	J	Cover, for LED	AE
1-4	HBDGB3133CESD	J	Badge, "SHARP" (LC-10A2-HA/MA)	AG
1-4	HBDGB3133CESK	J	Badge, "SHARP" (LC-10A2-HS/MS)	AG
1-5	HDECA0200CESB	J	Decoration Plate (LC-10A2-HA/MA)	AK
1-5	HDECA0200CESA	J	Decoration Plate (LC-10A2-HS/MS)	AK
1-6	LANGS0101CEFW	J	Speaker Punching (R), x2	AD
1-7	LANGS0102CEFW	J	Speaker Punching (L), x2	AD
1-8	LX-HZ3052CEFF	J	Screw, for Speaker, x4	AA
1-9	VSP4030P-428D	J	Speaker, x2	AR
1-10	MSPRP0200CEFW	J	Spring, for Punching Earth	AD
1-12	PSPAG2002CEZZ	J	Spacer, x4	AA
1-13	PSPAG2003CEZZ	J	Spacer, x2	AA
1-14	PSPAH1002CEZZ	J	Spacer, x2	AB
1-15	PSPAH1003CEZZ	J	Spacer	AB
1-16	PSPAH1004CEZZ	J	Spacer	AB
1-11	PSPAP0052CEZZ	J	Spacer	AA
2	CCABB2280CE02	J	Rear Cabinet Ass'y (LC-10A2-HA/MA)	BF
2	CCABB2280CE01	J	Rear Cabinet Ass'y (LC-10A2-HS/MS)	BE
2-1	Not Available	—	Rear Cabinet	—
2-2	GDAi-1084CESE	J	Set Stand (LC-10A2-HA/MA)	AY
2-2	GDAi-1084CESD	J	Set Stand (LC-10A2-HS/MS)	AY
2-3	JKNBP1166CEKA	J	Knob, Power	AE
2-4	JBTN-2045CEKB	J	Button, Control (LC-10A2-HA/MA)	AL
2-4	JBTN-2045CEKA	J	Button, Control (LC-10A2-HS/MS)	AH
2-5	LANGF9600CEFW	J	Set Stand Angle	AG
2-6	XBPSF30P10KS0	J	Screw, x4	AB
2-7	PZETZ0015CEZZ	J	Insulator, Set Stand	AG
2-8	PMLT-0316CEZZ	J	Absorber	AB
2-9	QCNW-4948CEZZ	J	Connecting Cord	AC
2-10	XEBSD30P08000	J	Screw	AA
2-11	PMLT-0318CEZZ	J	Absorber, x2	AB
2-12	PMLT-0356CEZZ	J	Absorber	AB
2-13	PSPAG2004CEZZ	J	Spacer	AB
2-14	PSPAH1001CEZZ	J	Spacer	AD
3	RLCDT0054CEN2	J	LCD Panel Ass'y	DB
4	PSHEP0103CEZZ	J	Wave Sheet	AR
5	PSHEP0118CEZZ	J	Diffusion Sheet	AK
6	PSHEP0102CEZZ	J	ITO Sheet	AU
7	KLMP-0100CEZZ	J	Lamp	AZ
8	PGIDM0100CEZZ	J	Light Guide Plate	AV
9	PSHEP0119CEZZ	J	Reflection Sheet	AH
10	LHLDZ2141CEKZ	J	Panel Holder	AS
11	PSLDM4602CEFW	J	Shield	AK
12	PZETK0101CEZZ	J	Insulator	AF
13	PSPAG2000CEZZ	J	Light Shielding Spacer	AC
14	PSLDM4577CEFW	J	Shield	AE
15	XEBSD30P08000	J	Screw, x13	AA
16	XEBSF30P12000	J	Screw, x5	AA
17	TLABM4183CEZZ	J	Model Label (LC-10A2-HA)	AH
17	TLABM4181CEZZ	J	Model Label (LC-10A2-HS)	AF
17	TLABM4184CEZZ	J	Model Label (LC-10A2-MS)	AF

CABINET AND MECHANICAL PARTS

壳罩与及机械零件分解图



Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

CABINET PARTS LOCATION

17	TLABM4197CEZZ	J	Model Label (LC-10A2-MA)	AK
18	QCNW-5538CEZZ	J	Connecting Cord	AG
19	QCNW-5279CEZZ	J	Connecting Cord	AF
20	QCNW-5539CEZZ	J	Connecting Cord	AK
21	QCNW-5299CEZZ	J	Connecting Cord	AH
22	QCNW-5285CEZZ	J	Connecting Cord	AF
23	LANGQ9207CEFW	J	Fixing Metal	AE
24	PSPAP0051CEZZ	J	Spacer	AB
25	QCNW-4941CEZZ	J	Connecting Cord	AE
26	PSPAG2001CEZZ	J	Spacer	AE
27	XBBS20P05000	J	Screw	AA
28	LHLDW1173CEZZ	J	Wire Holder	AD

Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

SUPPLIED ACCESSORIES


⚠	LANGU9053CE01	J	Wall Mount Parts	AS
	QACCB0016TAZZ	J	AC Cord	AV
	QCNW-5544CEZZ	J	Antenna Cable	AK
	QCNW-5685CEZZ	J	AV Cable for Mini-jack	AY
	RRMCG1557CESA	J	Infrared R/C Unit	AV
	TiNS-6924CEZZ	J	Operation Manual (LC-10A2-HA/HS)	AP
	TiNS-6925CEZZ	J	Operation Manual (LC-10A2-MA/MS)	AS
	UADP-0209CEZZ	J	AC Adaptor	BE

PACKING PARTS (NOT REPLACEMENT ITEM)

SPAKC5074CEZZ	—	Packing Case (LC-10A2-HS)	—
SPAKC5409CEZZ	—	Packing Case (LC-10A2-HA)	—
SPAKC5410CEZZ	—	Packing Case (LC-10A2-MS)	—
SPAKC5422CEZZ	—	Packing Case (LC-10A2-MA)	—
SPAKF4002CEZZ	—	Packing Material	—
SPAKP1000CEZZ	—	Wrapping Paper	—
SPAKX2056CEZZ	—	Buffer Material, x2	—
SSAKA0160CEZZ	—	Polyethylene Bag	—
TLABN0157CEZZ	—	No. Label	—

PACKING OF THE SET

包装方法



SHARP

COPYRIGHT © 2000 BY SHARP CORPORATION

ALL RIGHTS RESERVED.

No part of this publication may be reproduced,
stored in a retrieval system, or transmitted in
any form or by any means, electronic, mechanical,
photocopying, recording, or otherwise, without
prior written permission of the publisher.